

NEW RL/MARLBORO

SEPT. 17, 1993

8991  
A clean, lighter, dry effect more  
responsive, prefer, both papers, Carlos  
the end

8997  
O clean, dark, mouth, H. filter,  
distinctly different, Carlos body &  
Bouley, thin 1 prefer (lightly)

FOR EXHIBIT NEW RL/MARLBORO SEPT. 20, 1993

TRANSITION OLD LTC + ~~OLD~~ RCB

66% off-line 3 + 5 six picked small, 4 picked 3 old

ONLY RL TRANSITION 4 + 6 six picked 6 old, 3 picked 4 old

4 MIN MT STEAMING

CONTROL (R)

TEST (A)

picked Roll

TRADE SECRET PROTECTED BY PHILIP MORRIS-SUBJECT TO  
ACCOUNT OF PHILIP MORRIS INC ET AL  
ALL RIGHTS RESERVED. THIS  
DOCUMENT IS NOT TO BE USED SHOWN OR  
DISTRIBUTED EXCEPT AS PROVIDED IN THE  
COURT'S ORDER.

PM 100's Neutral

1 HHD US BCF Replaced

11 ISABELLA BCF

9/20/93

Control C 3 picked out control 2 nod &

Test M 1 picked M SIA Control

DOMESTIC (first) NEW RL/MARLBORO

SEPT. 24, '93

8991 = C (Q) 4 picked Q old - wrong NO SIGN.

8994 = T (B) 5 " 3 old - correct D, F, F

JAN. / 1994 changes

2031125213

C = control (21) 4 picked 21 old - wrong " "

A = test (12) 5 " 12 old - correct " "

EXPORT  
NEW RCB/MALLABO

9-22-93

FINISH  
CONTROL (P) 3 failed P old wrong  
8961 5 " L " correct

TEST (L)  
8962

TRANSDUCER  
CONTROL (H) 3 failed H old wrong  
8961 5 " 14 " correct  
TEST (H)  
8963

BASIC JAN. 1, 1994

7-22-93

CONTROL NOSE  
2nd trial - 4 failed old (E) out 86

(H)

MOUTH

RESPONSE

IMPACT

IMPACT, CARRIES  
RESPONSE

TEST W/ET NOSE

(E) 8961 MOUTH

RESPONSE

LONG WT.  
REDUCTION

IMPACT

IMPACT, CARRIES  
RESPONSE

Control (R) vs. test (N) (w/o ET) = 2 failed old (N) out 86  
1 no diff.

2031125214